Supplier

■ Hong Kong Office Asia Building Materials Limited

Suites 1201-4, Tower 2 The Gateway, 25-27 Canton Road TST, Kowloon Hong Kong

Tel: (852) 3105-3221 Fax: (852) 3105-3611

http://www.asiabm.com info@asiabm.com

■ Shanghai Office Asia Building Materials Consultancy (Shanghai) Co., Ltd.

Rm. 407, Dong Ping Building, No. 15 Dong Ping Road Shanghai, China Postal Code: 200031

Tel: (86) 21 6433-1695 Fax: (86) 21 6433-3785

US Agent

■ Jerry Huber & Associates, Inc

4608 Groundnut Court Raleigh, North Carolina 27613 USA

Tel: (1) 919-781-9674 Fax: (1) 919-781-9752

Contact Person:

Mr. Jerry Huber Email: jhuberassocs@nc.rr.com



PAULOWNIA a soft HARDWOOD



PAULOWNIA - a soft HARDWOOD

Processing Plants



Our contract factories have a skilled labor force, are equipped with modern machinery and have the necessary wood- working equipment and priming facilities to produce a wide range of products for the building and millwork industries.









Paulownia is naturally decay resistant and any rot is generally superficial. The wood is also naturally resistant to insect attack.

Paulownia has no measurable pitch, resin or tannins.

Working Properties

Paulownia is easy to work using hand or machine tools. It is easy to plane, sand, saw, rip, route, and carve, and even during quick processing there is no danger of splitting or chipping. It easily absorbs glue, paint and stains.

Wood Utilization/Uses

- * Exterior/Interior Trim Boards
- · Exterior/Interior Pattern Stock
- · Paneling/Siding
- Box Columns
- · Extension Jambs/Flat Jambs
- Millwork

Summary of Benefit

- · Mostly Plantation Grown
- · Small Movement in Service Dimensionally Stable
- Low Shrinkage Coefficient
- · Light Physical Weight
- High Strength to Weight Ratio
- · High Insulation Properties
- High Fire and Ignition Resistance
- Low Thermal Conductivity
- · Contains No Measurable Tannins, Resin or Pitch
- . Easy to Nail, Screw or Staple
- Light Color
- Straight Grain
- * Easy to Work with All Tools
- · Easy to Handle
- Easy to Glue, Stain and Paint
- Naturally Rot, Decay and Insect Resistant
- · Glossy, Lustrous Finish

Information Sources:

USDA Forest Products Laboratory, Madison, Wisconsin World Tree Technologies, Phoenix, Arizona Global Tree Technologies, Vancouver, British Columbia, Canada International Development Research Center, Ottawa, Canada

PAULOWNIA - a soft HARDWOOD

Products Offe red

Asia Building Materials offers a wide range of primed products made of Paulownia under the brand name **Kiri-Trim**. Sherwin-Williams Primer Optional.

Standard Product Line:

Custom Patterns Available

1 x 6 & 1 x 8 Plowed for Soffit

1 x 4 & 1 x 6 T & G Beaded Ceiling - EB & CB/V2E

All Paulownia products are standard 16' Lengths. 18' & 20' & custom lengths available.

Boards & Dimension

- Kiln Dried
- S4S or S1S2E
- Square or Eased Edge
- FJ and or FJ/EG
- Exterior Waterproof Glue
- Exterior Oil Base Spray Primed 4 Sides & Both Ends
- 180 Grit Sanded 4 Sides After Priming
- One or Two Coat Primed
- Standard ALS Widths-Custom Thickness & Widths Available
- Fully Reversible

Standard Product Line:

4/4 (11/16") - 1 x 2, 1 x 3, 1 x 4, 1 x 5, 1 x 6, 1 x 8, 1 x 10 & 1 x 12 4/4 (3/4") - 1 x 2, 1 x 3, 1 x 4, 1 x 5, 1 x 6, 1 x 8, 1 x 10 & 1 x 12 5/4 (1 1/8") -5/4 x 3, 5/4 x 4, 5/4 x 5, 5/4 x 6, 5/4 x 8, 5/4 x 10 & 5/4 x 12 8/4 (1 1/2") - 2 x 2, 2 x 4, 2 x 6, 2 x 8, 2 x 10 & 2 x 12

Pattern Stock

- Kiln Dried
- S4S Square Edge
- S2S tongue and groove
- FJ and or FJ/EG
- Exterior Waterproof Glue
- Exterior Oil Base Spray Primed 4 Sides & Both Ends
- 180 Grit Sanded 4 Sides After Priming
- One or Two Coat Primed
- Fully Reversible

Bevel Sidings

- Kiln Dried
- Smooth Face/Re-Sawn Face
- Eased Edges & Tip
- FJ and or FJ/EG
- Exterior Waterproof Glue
- Exterior Oil Base Spray Primed 4 Sides & Both
- Ends
- 180 Grit Sanded 3 Sides After Priming
- One or Two Coat Primed
- Fully Reversible

Standard Product Line:

1/2 x 4, 1/2 x 6 & 1/2 x 8 11/16x 6, 11/16x 8 & 11/16 x 10 3/4 x 8 & 3/4 x 10 Custom Sidings Available



Timbers

- Kiln Dried
- S4S
- Square or Eased Edge
- FJ and or FJ/EG
- Exterior Waterproof Glue
- Exterior Oil Base Spray Primed 4 Sides & Both Ends
- 180 Grit Sanded 4 Sides After Priming
- One or Two Coat Primed

Standard Product Line:

4 x 4

Custom Sizes Available

Processing Plants



Our contract factories have a skilled labor force, are equipped with modern machinery and have the necessary wood- working equipment and priming facilities to produce a wide range of products for the building and millwork industries.









About Asia Building Materials Limited

Asia Building Materials Limited ("ABM") is a timber-based supply chain management service provider. Our mission is to provide top quality services to overseas companies and entities sourcing products from China to manage their supply chain.

For our production of primed wood products and millwork, we have secured long-term relationships with a selected group of well-managed factories in China. A team of ABM engineers and quality control staff is stationed at each factory to oversee new product development and actual production. With managed quality control, ABM is able to consistently provide products of the highest standard. We also have a team of professional office staff and several reputable third party logistics providers, both in China and the United States. This allows us to provide any type of delivery service required by our customers in the U.S.

Our professional procurement team has extensive knowledge and experience in sourcing raw materials. They are strategically located in Hong Kong, Shenzhen and Shanghai-all of which cover the two industrial centers in China, namely, the Pearl River Delta in the South and the Yangtze River Delta in the East.

We have a well-established infrastructure with the capability of developing and producing products according to customers' specifications and meeting their logistics requirements.

